

MP C3004SP/ASP
MP C3504SP/ASP
MP C4504SP/ASP
MP C5504SP/ASP
MP C6004SP

A3 Colour MFPs

✔ Printer ✔ Copier ✔ Scanner ✔ Fax



MP C3004SP/
ASP

30
ppm B/W
Colour

MP C3504SP/
ASP

35
ppm B/W
Colour

MP C4504SP/
ASP

45
ppm B/W
Colour

MP C5504SP/
ASP

55
ppm B/W
Colour

MP C6004SP

60
ppm B/W
Colour

Contents:

1.	Introduction	Page 3
2.	Quick Overview	Page 4
3.	Sales Highlights	Page 6
4.	Product Positioning	Page 8
5.	Configuration	Page 9
6.	Target Markets	Page 16
7.	Smart Operation Panel	Page 17
8.	Key Features	Page 20
9.	Specifications	Page 28
10.	Service and Supplies	Page 42

This sales guide is to be used by sales staff as a training aid. It is not a sales tool and should not be shared with customers. Whilst care has been taken to ensure the information provided in this guide is accurate, no liability will be accepted for errors or omissions.



1. Introduction

Ricoh's new A3 colour MFPs will fast become your customers' most valued business assets. Running quietly in the background, they effortlessly handle all needs; printing and copying in colour, neatly finishing document sets, scanning and distributing information and processing fax messages. The advanced MFPs share a common platform and with a range that includes 30, 35, 45, 55 and 60 ppm models, the same versatile technology can be deployed in every office.

MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 series MFPs feature Ricoh's new Smart Operation Panel and are print, copy and scan enabled. Fax is an option. SP versions are supplied with an ARDF and ASP versions with a high speed SPDF (single pass duplex feed). Using the SPDF, up to 220 originals can be fed in a single batch and scanned at a speed of 110 ipm (simplex) / 180 ipm (duplex). Other functional options include PostScript and IPDS printing and OCR scanning.

Ricoh's GWNX controller, with its superfast Intel processor, manages the workflow (1.33 GHz MP C3004/MP C3504 / 1.75 GHz MP C4504/MP C5504/MP C6004). To save time, a Human Detection Sensor wakes the MFP instantly from sleep mode - it takes less than 1 second - and the Smart Operation Panel lights up when touched, allowing the user to select applications and settings. The Intuitive User Interface simplifies operation and Ricoh's Smart Device Connector app improves mobility by enabling users to interact with the MFP using their smart phones and tablets. The MFPs also support use of optional workflow solutions, such as Ricoh's StreamLine NX and GlobalScan NX.

The MFPs can be tailored to operational needs. The paper capacity can be extended from 1,200 sheets to 4,700 sheets and there is a choice of integrated finishing systems. They include Ricoh's new and unique 1,000 sheet hybrid (staple and stapleless) finisher. The eco-friendly finishing solution neatly crimps up to five sheets of paper using a punch-press action to produce finger-friendly staple-free documents. It switches automatically to a conventional staple finish for larger documents sets.

The new MFPs are capable of more than just everyday printing and copying. They can be used by customers to create eye-catching promotional materials in-house. Ricoh's advanced PxP toner guarantees a wide colour gamut and the MFPs produce vibrant 1,200 x 1,200 dpi resolution print output at full engine speed. They can also feed coated heavyweight SRA3 media and banner stock for posters and point of sale material. The SRA3 paper can be trimmed after printing to produce full-bleed brochures.

The new models will strengthen Ricoh's A3 colour MFP range. They supersede the MP C3003/MP C3503/MP C4503/MP C5503/MP C6003 series, giving users a more responsive and intuitive experience. The market for A3 colour MFPs is expanding and higher speed segments are enjoying rapid growth as businesses look for more productive solutions. Ricoh's new A3 colour MFPs meet that need. Ready in an instant, easy to use and quietly industrious, they deliver exceptional real-world productivity.

This guide explores the functionality of the new products in more detail, highlighting sales opportunities and identifying key selling points. It also provides side-by-side competitor comparisons.



2. Quick Overview

Ricoh's MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 series is a family of advanced A3 colour multifunctional products. The new models provide colour print, copy and scan functionality as standard, and range in speed from 30 to 60 ppm. Fax is an option. To simplify operation, they are equipped with Ricoh's Smart Operation Panel and offer support for integrated workflow solutions, such as StreamLine NX. With the new models sharing a common platform but offering a choice of speed and configuration, a single uniform solution can be deployed in all offices.

The main specifications are:

- Full colour A3 MFPs
- 30, 35, 45, 55 and 60 ppm versions
- Uniform design and operation
- Colour print, copy and scan enabled
- Option to add up to 3 fax lines
- 10.1" Smart Operation Panel
- Intuitive User Interface (smart apps)
- USB/SD card reader
- GWNX controller
- 250 GB HDD [MP C3004/MP C3504] / 320GB HDD [MP C4504/MP C5504/MP C6004]
- SP models are equipped with a high capacity ARDF^{*1}
- ASP models are equipped with a high speed SPDF
- 1,200/4,700 sheet paper supply (standard/maximum)
- 1,200 x 1,200 dpi print resolution
- PCL 5c/6 and PDF Direct (standard) / PS3, XPS, PictBridge and IPDS^{*2} (options)

^{*1} Except MP C6004SP, which is equipped with a high speed SPDF

^{*2} IPDS printing is an option for MP C4504/MP C5504/MP C6004 only

Feed and finishing options include:

- 1 x 550 sheet paper bank (PB3150), or
2 x 550 sheet paper bank (PB3160), or
2 x 1,000 sheet large capacity tray (PB3170)
- 1,500 sheet side LCT (RT3030)
- 125 sheet 1-bin inner tray (BN3110)
- 250 sheet side tray (Type M3) [all models], or
250 sheet stapleless inner finisher (SR3180) [MP C3004/MP C3504], or
500 sheet inner staple finisher (SR3130) [MP C3004/MP C3504/MP C4504/MP C5504], or
1,000 sheet hybrid (staple and stapleless) finisher (SR3210) [all models], or
1,000 sheet booklet finisher (SR3220) [all models], or
2,000 sheet booklet finisher (SR3240) [MP C4504/MP C5504/MP C6004], or
3,000 sheet staple finisher (SR3230) [MP C4504/MP C5504/MP C6004]

A full list of options, order codes and configuration dependencies is provided in section 5. Configuration.

Functionality, Feeds and Speeds - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series					
	MP C3004SP/ASP	MP C3504SP/ASP	MP C4504SP/ASP	MP C5504SP/ASP	MP 6004SP
Functionality	A3 colour printer, copier and scanner (standard) / fax (option)				
Document Feed	SP models: 100 sheet ARDF (standard) / ASP models: 220 sheet SPDF (standard)				220 sheet SPDF (std)
Duplex	Automatic duplex (standard)				
Paper Supply	1,200 sheets (standard) [2 x 550 trays + 100 sheet bypass] / 4,700 sheets (maximum) [with 2 x 1,000 sheet LCT + 1,500 sheet side LCT]				

Paper Output	500 sheets (standard) / 1,625 sheets (maximum) [with internal output tray + bridge unit + 1 bin tray + 1,000 sheet finisher]		500 sheets (standard) / 3,625 sheets (maximum) [with internal output tray + bridge unit + 1 bin tray + 3,000 sheet finisher]		
First Page	BW 4.6 / FC 7.1 seconds (A4)		BW 4.0 / FC 5.7 seconds (A4)	BW 3.1 / FC 4.5 secs (A4)	
Continuous	30 ppm (A4 BW & FC)	35 ppm (A4 BW & FC)	45 ppm (A4 BW & FC)	55 ppm (A4 BW & FC)	60 ppm (A4 BW & FC)
Paper Size	A6 (90 x 148 mm minimum) to SRA3/Banner (320 x 1,260 mm maximum) [using bypass]				
Paper Weights	60 to 300 gsm (standard trays, optional paper banks and LCT), 52 to 300 gsm (bypass and optional side LCT), 64 to 256 gsm (duplex)				

Volumes and Reliability - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series					
	MP C3004SP/ASP	MP C3504SP/ASP	MP C4504SP/ASP	MP C5504SP/ASP	MP 6004SP
Average Volume	5,000 pages	7,000 pages	10,000 pages	12,000 pages	15,000 pages
Maximum Volume	20,000 pages		50,000 pages		
Duty Cycle	80,000 pages		200,000 pages		
PM Cycle	300,000 pages		400,000 pages		
MCBC	62,000 pages	69,000 pages	89,300 pages	93,000 pages	100,800 pages
Target Life	5 years or 1.2 million pages		5 years or 3 million pages		

Weights and Dimensions - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series	
MP C3004SP/MP C3504SP	95.6 kg / 587 x 685 x 913 mm [w x d x h]
MP C3004ASP/MP C3504ASP	101.3 kg / 587 x 685 x 963 mm [w x d x h]
MP C4504SP/MP C5504SP	97.7 kg / 587 x 685 x 913 mm [w x d x h]
MP C4504ASP/MP C5504ASP/MP C6004SP	103.4 kg / 587 x 685 x 963 mm [w x d x h]
Paper Feed Unit PB3160	22 kg / 587 x 685 x 247 mm [w x d x h]
Paper Feed Unit PB3150	10.9 kg / 587 x 685 x 120 mm [w x d x h]
Caster Table Type M3	1.5 kg / 445 x 315 x 143 mm [w x d x h]
Low Cabinet 45	13.5 kg / 587 x 685 x 247 mm [w x d x h]
LCIT PB3170	22 kg / 587 x 685 x 247 mm [w x d x h]
LCIT RT3030	9.8 kg / 340 x 545 x 290 mm [w x d x h]
1 Bin Tray BN3110	1.4 kg / 444 x 450 x 150 mm [w x d x h]
Internal Shift Tray SH3070	1.4 kg / 420 x 489 x 107 mm [w x d x h]
Side Tray Type M3	3.8 kg / 676 x 549 x 156 mm [w x d x h]
Internal Finisher SR3130	12.8 kg / 546 x 523 x 170 mm [w x d x h]
Internal Finisher SR3180	9.8 kg / 435 x 515 x 150 mm [w x d x h]
Bridge Unit BU3070	3.2 kg / 412 x 466 x 143 mm [w x d x h]
Finisher SR3210	27 kg / 563 x 620 x 960 mm [w x d x h]
Booklet Finisher SR3220	39.6 kg / 563 x 620 x 960 mm [w x d x h]
Finisher SR3230	33.5 kg / 657 x 613 x 960 mm [w x d x h]
Booklet Finisher SR3240	52.5 kg / 657 x 613 x 960 mm [w x d x h]

3. Sales Highlights

Essential business partners

Ricoh's new A3 colour MFPs will fast become your customers' most valued business assets. Running quietly and industriously in the background, they will effortlessly handle all document needs; printing and copying in colour, neatly finishing document sets, scanning and distributing information and processing fax messages. And, because the range extends from 30 to 60 ppm, the same versatile and easy-to-use technology can be deployed in every office and department.

- Versatile and easy-to-use answer to office and departmental document needs
- Print and copy in colour, neatly finish documents, quickly scan and distribute information
- 30, 35, 45, 55 and 60 ppm models share the same advanced features and easy operation
- Modular options expand functionality and automate manual process
- Provides a uniform enterprise-wide solution that can be tailored to local operational need



Intuitive and uniform user interface

Sharing the same user interface and print driver as other Ricoh devices, the new MFPs can be installed as part of a uniform enterprise-wide solution. To save time, a Human Detection Sensor wakes the MFP instantly from sleep mode - it takes less than 1 second - and the Smart Operation Panel lights up when touched, allowing the user to select applications and settings. And Ricoh's new Intuitive User Interface provides easy to use copy, scan and fax apps.

- Ricoh's Smart Operation Panel and universal print driver provide a uniform platform
- To save time, a Human Detection Sensor wakes the MFP from sleep mode
- The Smart Operation Panel lights up when touched, allowing the user to select settings
- Ricoh's new Intuitive User Interface provides easy-to-use copy, scan and fax apps
- Time saving apps, such as ID Card Copy and Conference Concierge, can be downloaded



Easy integration with smart devices

The new MFPs can interact seamlessly with users' smart devices. Ricoh's Smart Device Connector app supports NFC (near field communication) and QR barcode connection. The application can be used to scan a document to a users' smart device, or to print out a document received via Facebook, Messenger or email. It can also be used as an interactive address book, enabling users to send documents via the MFP to their own personal contacts.

- The MFPs improve workforce mobility by interacting with users' smart devices
- Ricoh's Smart Device Connector app supports NFC and QR barcode connection
- Smart Device Connector can be used to scan a document to a users' smart device
- And to print documents received via Facebook, Messenger or email
- Users can send documents via the MFP to their own personal contacts



Secure and compliant workflow

Ricoh's GWNX controller, with its superfast Intel processor, manages the workflow and accounts for usage. The administrator can predetermine scan settings, print output can be locked until released by the originator and security information can be appended to each and every document. The new MFPs also support optional workflow solutions, such as StreamLine NX, which enables follow-you printing, and GlobalScan NX, which integrates paper documents into a digital workflow.

- Ricoh's superfast processor ensures responsive performance (1.33 GHz MP C3004/MP C3504 / 1.75 GHz MP C4504/MP C5504/MP C6004)
- Securely manage document workflows and account for usage
- Save scanned documents with searchable text (requires OCR option)
- Lock print output and append security information to every document
- Deploy optional workflow solutions, such as StreamLine NX and GlobalScan NX



Tailored to operational need

The new MFPs can be tailored to operational need. The paper capacity can be extended from 1,200 sheets to 4,700 sheets and there is a choice of integrated finishing systems. These include Ricoh's innovative hybrid finisher. The system neatly crimps up to five sheets of paper using a punch-press action to produce finger-friendly staple-free document sets, switching automatically to a more conventional staple finish for larger documents sets.

- Options such as fax, PostScript printing and OCR scanning expand functionality
- Equipped with the IPDS print option (MP C4504/5504/6004 only), the MFPs can print directly from mainframe systems
- There is a choice of integrated feed and finishing systems
- Ricoh's innovative hybrid finisher produces neatly crimped staple-free document sets
- The booklet finisher staples regular document sets and produces saddle-stitched booklets



Expanding business horizons

The new MFPs are capable of so much more than just everyday printing and copying. They can be used by customers to create eye-catching promotional material in-house. The new MFPs boast a wide colour gamut and produce vibrant high resolution output. They can also feed coated heavyweight SRA3 media and banner stock for posters and point of sale material. The SRA3 paper can be trimmed after printing to produce full-bleed A4 brochures.

- Create eye-catching promotional material in-house
- Vibrant high resolution output (1,200 x 1,200 dpi) is delivered at full engine speed
- The new MFPs will feed coated heavyweight SRA3 media and banner stock
- Print full-bleed brochures and produce banners, posters and point of sale material
- The optional booklet finisher professionally folds and saddle stitches booklets



4. Product Positioning

- Advanced full colour A3 MFPs
- Workgroup multifunctional solutions for the general office
- 30, 35, 45, 55 and 60 ppm versions
- Uniform design, common functionality and simple operation
- Succeeds MP C3003/MP C3503/MP C4503/MP C5503/MP C6003 series
- 10.1" Smart Operation Panel and Intuitive User Interface (smart apps)


The MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 series is a family of advanced A3 colour MFPs. Designed for office use, the workgroup MFPs are network ready, provide print, copy and scan functionality as standard and are supplied with either an ARDF (SP models) or a high speed SPDF (ASP models and MP C6004SP). Because they offer a wide choice of speed and configuration, the same versatile technology can be deployed in every office, ensuring a uniform and effective enterprise solution.

They new models supersede the MP C3003/MP C3503/MP C4503/MP C5503/MP C6003 series. The most significant improvement is the inclusion, as standard, of the Ricoh's new 10.1" Smart Operation Panel. The Intuitive User Interface simplifies operation and Ricoh's Smart Device Connector app supports workforce

mobility by allowing users to interact with the MFP using their smart phones and tablets.

A new Intel-based CPU provides impressive processing power and improves responsiveness. To save time, the new MFPs sense when a user is approaching and power up ready for use. The intelligent Human Detection Sensor wakes the MFP instantly from energy saving sleep mode - it takes less than 1 second - and the Smart Operation Panel lights up when touched, allowing the user to select applications and settings. Other enhancements include the introduction of a new 1,000 sheet hybrid staple and stapleless finisher (unique to Ricoh), best-in-class TEC ratings, support for heavier media weights (300 gsm from any tray) and banner printing (up to 320 x 1,260 mm).

Ricoh MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 series Positioning vs Competitors




5. Configuration

Standard Configuration

The new MFPs provide print, copy and colour scan functionality as standard. Fax is an option. SP versions are supplied with a high capacity ARDF* and ASP versions with a high capacity SPDF. All models are supplied with 2 x 550 sheet paper trays, a 100 sheet bypass and a duplex. The new MFPs feature Ricoh's 10.1" Smart Operation Panel and are supplied with a hard drive and a VM card.


* Except MP C6004SP, which is equipped with a high speed SPDF

Mainframe



- 1 = 100 sheet ARDF [MP C3004SP/MP C3504SP/MP C4504SP/MP C5504SP], or 220 sheet SPDF [MP C3004ASP/MP C3504ASP/MP C4504ASP/MP C5504ASP/MP C6004SP]
- 2 = 10.1" Smart Operation Panel
- 3 = USB/SD card slot
- 4 = 100-sheet bypass tray
- 5 = Duplex [internal, not shown]
- 6 = 550-sheet paper tray
- 7 = 550-sheet paper tray

Peripheral Options



- 1 = Cabinet (low cabinet type 45), or
- 2 = 1 x 550 sheet paper bank (PB3150) and caster table, or
- 3 = 2 x 550 sheet paper bank (PB3160), or
- 4 = 2 x 1,000 sheet large capacity tray (PB3170)
- 5 = 1,500 sheet side LCT (RT3030)
- 6 = 125 sheet 1-bin inner tray (BN3110)
- 7 = Shift tray (SH3070)
- 8 = 250 sheet side tray (Type M3), or
- 9 = 250 sheet stapleless inner finisher (SR3180) [MP C3004/MP C3504], or
- 10 = 500 sheet internal staple finisher (SR3130) [MP C3004/MP C3504/MP C4504/MP C5504], or
- 11 = Bridge unit (BU3070), and
- 12 = 1,000 sheet hybrid (staple and stapleless) finisher (SR3210) [all models], or
- 13 = 1,000 sheet booklet finisher (SR3220) [all models], or
- 14 = 2,000 sheet booklet finisher (SR3240) [MP C4504/MP C5504/MP C6004], or
- 15 = 3,000 sheet staple finisher (SR3230) [MP C4504/MP C5504/MP C6004]

Functional Configuration

Functional Configuration - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series					
	MP C3004SP/ASP	MP C3504SP/ASP	MP C4504SP/ASP	MP C5504SP/ASP	MP 6004SP
Functionality	Colour print, copy and scan (standard) / fax (option)				
Interfaces	Control Unit: Ethernet [RJ-45 network port, 10Base-T/100Base-TX/1000Base-T], USB Host I/F [Type A:2 Port] (standard) / IEEE1284/ECP, Wireless LAN [IEEE802.11a,b,g,n], Bluetooth,USB2.0 [TypeB], Ethernet [RJ-45 network port : 10Base-T/100Base-TX/1000Base-T] with optional USB device server option (options)				
	Operation Unit: Wireless LAN [IEEE 802.11 b/g/n 2.4GHz Band only]*, Bluetooth 4.0*, SD Card Slot [1Slot/Support SDHC Memory Card], USB Host [Type A:1Port/Support USB Flash Memory] (standard) / USB Host [Type A:1Port/Support Keyboard etc]*, USB Host [Type Mini B:1Port/Support NFC IC Card R/W]*, microSD card slot [for expansion of ROM storage of the operating unit]* (options) *Doesn't support printing				
	Other: NFC Tag [SO14443 Type A, NFC Forum Type2 Tag Compliant]* (standard) / - (options) *Doesn't support printing				
Print Drivers	PCL5c/6(XL), PDF (standard) / PS3, XPS, PictBridge (options)		PCL5c/6(XL), PDF (standard) / PS3, IPDS, XPS, PictBridge (options)		
Memory	2 GB RAM and 250 GB Hard Disk Drive (standard) [4 GB RAM (option)]		2 GB RAM and 320 GB Hard Disk Drive (standard) [4 GB RAM (option)]		
Security	Data Overwrite Security (standard) / Data Overwrite Security (for customers requiring Common Criteria certification before the mainframe is certified), Enhanced Security HDD, Counter Interface (optional)				
Other	VM Card (standard) / Fax, G3 Interface Unit, Fax Connection Unit, Unicode Font Package, OCR Unit, File Format Converter (options)				

More peripheral and functional upgrade options are listed below (see EDP Codes and Dependencies)

EDP Codes and Dependencies

EDP Codes and Dependencies - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series					
Category	Item	Product Name	EDP Code	Must Install	Cannot Install
Mainframe	30 ppm MFP with SPDF	MP C3004ASP	417455	OI Kit	2000 Sheets Booklet Finisher, 3000 Sheets Finisher, IPDS Unit
	30 ppm MFP with ARDF	MP C3004SP	417454	OI Kit	2000 Sheets Booklet Finisher, 3000 Sheets Finisher, IPDS Unit
	35 ppm MFP with SPDF	MP C3504ASP	417457	OI Kit	2000 Sheets Booklet Finisher, 3000 Sheets Finisher, IPDS Unit
	35 ppm MFP with ARDF	MP C3504SP	417456	OI Kit	2000 Sheets Booklet Finisher, 3000 Sheets Finisher, IPDS Unit
	45 ppm MFP with SPDF	MP C4504ASP	417459	OI Kit	250 sheets Internal Finisher (Stapleless)
	45 ppm MFP with ARDF	MP C4504SP	417458	OI Kit	250 sheets Internal Finisher (Stapleless)
	55 ppm MFP with SPDF	MP C5504ASP	417461	OI Kit	250 sheets Internal Finisher (Stapleless)
	55 ppm MFP with ARDF	MP C5504SP	417460	OI Kit	250 sheets Internal Finisher (Stapleless)
	60 ppm MFP with SPDF	MP C6004SP	417462	OI Kit	250 sheets Internal Finisher (Stapleless), 500 sheets Internal Finisher
Branding	NRG Branding Kit	Branding Kit 4	986276	-	-

Paper Feed	1 tray Paper Bank (1 x 550 sheets)	Paper Feed Unit PB3150	416545	-	LCT, 2 tray Paper Bank, Side LCT, 1000 Sheets Booklet Finisher, Hybrid 1000 Sheets Finisher, 2000 Sheets Booklet Finisher, 3000 Sheets Finisher
	Caster Table	Caster Table Type M3	416737	1 tray Paper Bank	LCT, 2 tray Paper Bank, Cabinet, Side LCT, 1000 Sheets Booklet Finisher, Hybrid 1000 Sheets Finisher, 2000 Sheets Booklet Finisher, 3000 Sheets Finisher
	Cabinet	Low Cabinet 45	906709	-	LCT, 1 or 2 tray Paper Bank, Caster table, Side LCT
	2 tray Paper Bank (2 x 550 sheets)	Paper Feed Unit PB3160	416544	-	LCT, 1 tray Paper Bank, Caster Table, Cabinet
	LCT (2 x 1,000 sheets)	LCIT PB3170	416547	-	2 tray Paper Bank, 1 tray Paper Bank, Cabinet, Caster Table
	Side LCT (1,500 sheets)	LCIT RT3030	416549	2 tray Paper Bank or LCT	Cabinet, 1 tray Paper Bank, Caster Table
	Banner Paper Guide Tray	Banner Paper Guide Tray Type M19	417485	-	-
	SRA3/12.6" Option	Imageable Area Extension Unit Type M19	417497	-	-
Finishing	1 Bin Tray	1 Bin Tray BN3110	417585	-	-
	Internal Shift Tray	Internal Shift Tray SH3070	416550	-	2000 Sheets Booklet Finisher, 3000 Sheets Finisher, 1000 Sheets Booklet Finisher, 1000 Sheets Hybrid Finisher, 250 sheets Internal Finisher, 500 sheets Internal Finisher, Bridge Unit, Side Tray
	Side Tray	Side Tray Type M3	417591	-	2000 Sheets Booklet Finisher, 3000 Sheets Finisher, 1000 Sheets Booklet Finisher, 1000 Sheets Hybrid Finisher, 250 sheets Internal Finisher, 500 sheets Internal Finisher, Bridge Unit, Internal Shift Tray
	500 sheets Internal Finisher	Internal Finisher SR3130	417589	-	2000 Sheets Booklet Finisher, 3000 Sheets Finisher, 1000 Sheets Booklet Finisher, 1000 Sheets Hybrid Finisher, 250 sheets Internal Finisher, Bridge Unit, Internal Shift Tray
	250 sheets Internal Finisher (Stapleless)	Internal Finisher SR3180	417593	-	500-sheet Internal Finisher, Internal Shift Tray, Side Tray
	Bridge Unit	Bridge Unit BU3070	417587	Hybrid 1000 Sheets Hybrid Finisher or 1000 Sheets Booklet Finisher or 2000 Sheets Booklet Finisher or 3000 Sheets Finisher	500 sheets Internal Finisher, Internal Shift Tray, Side Tray

	1000 Sheets Hybrid Finisher	Finisher SR3210	417483	Bridge Unit and Paper Bank or LCT	2000 Sheets Booklet Finisher, 3000 Sheets Finisher, 1000 Sheets Booklet Finisher, 500 sheets Internal Finisher, Internal Shift Tray, Side Tray, 1 tray Paper Bank, Caster Table
	1000 Sheets Booklet Finisher	Booklet Finisher SR3220	417484	Bridge Unit and Paper Bank or LCT	2000 Sheets Booklet Finisher, 3000 Sheets Finisher, 1000 Sheets Hybrid Finisher, 500 sheets Internal Finisher, Internal Shift Tray, Side Tray, 1 tray Paper Bank, Caster Table
	3000 Sheets Finisher	Finisher SR3230	417487	Bridge Unit and Paper Bank or LCT	2000 Sheets Booklet Finisher, 1000 Sheets Booklet Finisher, 1000 Sheets Hybrid Finisher, 500 sheets Internal Finisher, Internal Shift Tray, Side Tray, 1 tray Paper Bank, Caster Table
	2000 Sheets Booklet Finisher	Booklet Finisher SR3240	417488	Bridge Unit and Paper Bank or LCT	3000 Sheets Finisher, 1000 Sheets Booklet Finisher, 1000 Sheets Hybrid Finisher, 500 sheets Internal Finisher, Internal Shift Tray, Side Tray, 1 tray Paper Bank, Caster Table
	NA Punch Unit for SR3130	Punch Unit PU3040 NA	416615	Internal Finisher	-
	EU Punch Unit for SR3130	Punch Unit PU3040 EU	416616	Internal Finisher	-
	SC Punch Unit for SR3130	Punch Unit PU3040 SC	416617	Internal Finisher	-
	NA Punch Unit for SR3210/SR3220	Punch Unit PU3050 NA	416609	1000 Sheets Booklet Finisher or 1000 Sheets Hybrid Finisher	-
	EU Punch Unit for SR3210/SR3220	Punch Unit PU3050 EU	416610	1000 Sheets Booklet Finisher or 1000 Sheets Hybrid Finisher	-
	SC Punch Unit for SR3210/SR3220	Punch Unit PU3050 SC	416611	1000 Sheets Booklet Finisher or 1000 Sheets Hybrid Finisher	-
	NA Punch Unit for SR3230/SR3240	Punch Unit PU3060 NA	416612	2000 Sheets Booklet Finisher or 3000 Sheets Finisher	-
	EU Punch Unit for SR3230/SR3240	Punch Unit PU3060 EU	416613	2000 Sheets Booklet Finisher or 3000 Sheets Finisher	-
	SC Punch Unit for SR3230/SR3240	Punch Unit PU3060 SC	416614	2000 Sheets Booklet Finisher or 3000 Sheets Finisher	-
Fax	Fax for MP C3004/MP C3504	Fax Option Type M19	417511	-	-
	Fax for MP C4504/MP C5504/MP C6004	Fax Option Type M20	417528	-	-
	G3 Unit for MP C3004/MP C3504	G3 Interface Unit Type M19	417516	Fax Option	-

	G3 Unit for MP C4504/MP C5504/MP C6004	G3 Interface Unit Type M20	417534	Fax Option	-
	Remote fax for MP C3004/MP C3504	Fax Connection Unit Type M19	417570	Fax Option (for Main unit)	-
	Remote fax for MP C4504/MP C5504/MP C6004	Fax Connection Unit Type M20	417520	Fax Option (for Main unit)	-
	Fax Memory	FAX Memory Unit Type M19 64MB	417518	Fax Option	-
	Fax Stamp	Marker Type 30	334049	Fax Option	-
Printing	PostScript3	PostScript3 Unit Type M19	417505	-	EFI Controller
	PictBridge	Camera Direct Print Card Type M19	417507	-	EFI Controller
	IPDS	IPDS Unit Type M20	417525	-	EFI Controller
	EFI Controller	Color Controller E-23C	417597	-	PostScript3, PictBridge, IPDS, Bluetooth, IEEE1284, Wireless LAN, Unicord Font Package for SAP, Font SD card for SAP (EU only)
	XPS	XPS Direct Print Option Type M19	417502	-	-
	Unicode Font Package	Unicode Font Package for SAP® 1 License	413009	-	-
	Unicode Font Package	Unicode Font Package for SAP® 10 License	413010	-	-
	Unicode Font Package	Unicode Font Package for SAP® 100 License	413011	-	-
Scanning	OCR Unit	OCR Unit Type M13	417429	-	-
	File Format Converter	File Format Converter Type M19	417508	-	IEEE 802.11 a/g/n Interface Unit
Network	Wireless LAN Interface	IEEE 802.11a/g/n Interface Unit Type M19	417493	-	Bluetooth, IEEE 1284, EFI Controller, File Format Converter
	IEEE 1284 Interface	IEEE 1284 Interface Board Type M19	417596	-	IEEE 802.11 a/g/n Interface Unit, EFI Controller, Additional NIC
	Bluetooth	Bluetooth Interface Unit Type D	415818	-	IEEE 802.11 a/g/n Interface Unit, Additional NIC
	Additional NIC	USB Device Server Option Type M19	417568	-	IEEE 802.11 a/g/n Interface Unit, IEEE1284, File Format Converter
	Extended USB	Extended USB Board Type M19	417566	-	-
Security	Counter Interface	Optional Counter Interface Unit Type M12	417111	-	EFI Controller
	Key Counter Bracket	Key Counter Bracket Type M3	416869	-	EFI Controller
	NFC Card Reader	NFC Card Reader Type M19	417573	-	-
	Card Reader Bracket	Card Reader Bracket Type 3352	415814	-	-
	Card Reader Cover	Smart Card Reader Built-in Unit Type M19	417595	-	Keyboard Bracket

	Keyboard Bracket	External Keyboard Bracket Type M19	417578	-	Smart Card Reader Built-in Unit
	DOSS Option	DataOverwriteSecurity Unit Type M19	417499	-	FIPS 140-2 HDD
	FIPS 140-2 HDD	Enhanced Security HDD Option Type M12	417099	-	HDD Option, DOSS Option
Other	ADF Handle	ADF Handle Type C	416213	-	-
	Memory	Memory Unit Type M19 4GB	417498	-	-

OI Kit EDP Codes - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Language	Description	EDP Code	Language	Description	EDP Code
Catalan	OIC6004SPCA	912596	Hungarian	OIC6004SPHN	912590
Czech	OIC6004SPCZ	912589	Italian	OIC6004SPIT	912585
Danish	OIC6004SPDN	912595	Norwegian	OIC6004SPNR	912591
Dutch	OIC6004SPNL	912586	Polish	OIC6004SPPL	912593
English	OIC6004SPEN	912582	Portuguese	OIC6004SPPR	912592
Finnish	OIC6004SPFN	912594	Russian	OIC6004SPRU	912598
French	OIC6004SPFR	912584	Spanish	OIC6004SPSP	912587
German	OIC6004SPGE	912583	Swedish	OIC6004SPSW	912588
Greek	OIC6004SPGR	912599	Turkish	OIC6004SPTU	912597

Consumable EDP Codes - MP C3004/MP C3504

Brand	Item	Product Name	EDP Code
Multi Brand	Toner Black	Print Cartridge Black MP C3503	841817
	Toner Yellow	Print Cartridge Yellow MP C3503	841818
	Toner Magenta	Print Cartridge Magenta MP C3503	841819
	Toner Cyan	Print Cartridge Cyan MP C3503	841820
	Waste Toner Bottle	Waste Toner Bottle MP C6003	416890
Ricoh	Staple Set Cartridge for SR3170/ SR3160/3140/3130/3210	Ricoh Staple Type T	414859
	Staple Refill Cartridge for SR3170/ SR3160/3140/3130/3210	Ricoh Refill Staple Type T	414865
	Staple Set Cartridge for SR3150/ SR3220	Ricoh Staple Type S	412874
	Staple Refill Cartridge for SR3150/SR3220	Ricoh Refill Staple Type K	410802
NRG	Staple Set Cartridge for SR3170/ SR3160/3140/3130/3210	Staple Type T	414861
	Staple Refill Cartridge for SR3170/ SR3160/3140/3130/3210	Refill Staple Type T	414867
	Staple Set Cartridge for SR3150/ SR3220	Staple Type S	412875
	Staple Refill Cartridge for SR3150/SR3220	Staple Refill CSC760B	410806

Infotec	Staple Set Cartridge for SR3170/ SR3160/3140/3130/3210	Infotec Staple XVI/1(Set Cartr.)	414860
	Staple Refill Cartridge for SR3170/ SR3160/3140/3130/3210	Infotec Staple XVI/2(Refill)	414866
	Staple Set Cartridge for SR3150/ SR3220	Staples XIV Set Cartridge	412876
	Staple Refill Cartridge for SR3150/SR3220	Staple Type XI/2 Refill	410808

Consumable EDP Codes - MP C4504/MP C5504/MP C6004

Brand	Item	Product Name	EDP Code
Multi Brand	Toner Black	Print Cartridge Black MP C6003	841853
	Toner Yellow	Print Cartridge Yellow MP C6003	841854
	Toner Magenta	Print Cartridge Magenta MP C6003	841855
	Toner Cyan	Print Cartridge Cyan MP C6003	841856
	Waste Toner Bottle	Waste Toner Bottle MP C6003	416890
	Staple Set Cartridge for SR3170/ SR3240 (Saddle Stitch)	Staple Type W	416710
	Staple Refill Cartridge for SR3170/SR3240 (Saddle Stitch)	Refill Staple Type W	416712
Ricoh	Staple Set Cartridge for SR3170/ SR3160/3140/3130/3210/3240	Ricoh Staple Type T	414859
	Staple Refill Cartridge for SR3170/ SR3160/3140/3130/3210/3240	Ricoh Refill Staple Type T	414865
	Staple Set Cartridge for SR3150/3220	Ricoh Staple Type S	412874
	Staple Refill Cartridge for SR3150/3220	Ricoh Refill Staple Type K	410802
NRG	Staple Set Cartridge for SR3170/ SR3160/3140/3130/3210/3240	Staple Type T	414861
	Staple Refill Cartridge for SR3170/ SR3160/3140/3130/3210/3240	Refill Staple Type T	414867
	Staple Set Cartridge for SR3150/3220	Staple Type S	412875
	Staple Refill Cartridge for SR3150/3220	Staple Refill CSC760B	410806
Infotec	Staple Set Cartridge for SR3170/ SR3160/3140/3130/3210/3240	Infotec Staple XVI/1(Set Cartr.)	414860
	Staple Refill Cartridge for SR3170/ SR3160/3140/3130/3210/3240	Infotec Staple XVI/2(Refill)	414866
	Staple Set Cartridge for SR3150/3220	Staples XIV Set Cartridge	412876
	Staple Refill Cartridge for SR3150/3220	Staple Type XI/2 Refill	410808


6. Target Markets

The launch of the MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 series will strengthen Ricoh's colour range and protect Ricoh's market leading position in the 30 to 60 ppm segment. The market for A3 colour MFPs is growing. IDC forecast 5.9% compound annual growth in worldwide demand, with global sales expected to hit 1.7 million units in 2018. Higher speed segments (40 to 60 ppm) are expected to show the strongest growth as businesses seek to improve office productivity.


The new models are designed for workgroup use in the general office. Target markets include businesses and organisations with regular document requirements (letters, spreadsheets, presentations, reports etc). The new Intel processor improves responsiveness. With the human detection sensor ensuring that the MFPs recover instantly from sleep mode and the Intuitive User Interface simplifying operation, Ricoh's new A3 colour MFPs offer office workers exceptional real-world productivity.

The new MFPs will appeal particularly to customers with advanced workflow and/or security requirements, such as financial institutions, pharmaceutical companies and defence contractors. They have a GWNX controller, they feature Ricoh's new 10.1" Smart Operation Panel and are supplied with a hard drive and a VM card. They support a variety optional workflow solutions, including StreamLine NX, which enables follow-you printing, and GlobalScan NX, which integrates paper documents into a digital workflow.

Target Markets - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004



High-level business drivers will include:





7. Smart Operation Panel

Ricoh's Smart Operation Panel is a stylish and intuitive alternative to conventional user interfaces. Navigated like a smartphone or a tablet, Ricoh's Smart Operation Panel simplifies operation, expands functionality and customises the user experience. It even includes a web browser that allows users to view and print web content from the control panel of MFP. The panel is also equipped as standard with a WiFi card, which makes direct connection between mobile devices and panel possible, simplifying accessibility and information exchange.


Individual users can customise the interface to their own requirements. They can change the wallpaper, drag and drop icon-based short cuts onto the home screen, download and save apps, customise machine sounds (key, beeper and alert sounds can be set individually), quickly access one-touch settings and view intelligent widgets. Any user not comfortable with the Smart Operation Panel can quickly toggle to Ricoh's conventional menu-based interface.

Users may also download more workflow applications from Ricoh's Application Site. The site is accessed via the Application Site icon on the Smart Operation Panel. Users visiting the site can view the available workflow applications and download them directly to the MFP. Core applications, which include ID Card Copy and Conference Concierge, are supplemented with locally/regionally developed applications, such as Smart Send and Swipe Authentication. Firmware updates can also be downloaded from the site. Accessing Ricoh's Application Site via the Smart Operation Panel makes it easy for users to configure their MFPs and trial the latest workflow applications.

The Smart Operation Panel supports Quick Authentication. The simple 'swipe-and-go' card-based authentication system is fast and secure, eliminating the need for users to remember additional login names and passwords. Ricoh's native authentication software is pre-installed and only requires the purchase of an optional NRC Reader / Writer. By controlling access to MFP functions, it prevents sensitive documents from being viewed, copied or sent by unauthorised users.


Standard Features, Extraordinary Experience

The standard features of the Smart Operation Panel provide an extraordinary user experience. It is easy to navigate the interface, the screen can be personalised, widgets provide essential information, icons are organised in folders, web pages can be printed and quick settings simplify operation.




Intuitive Navigation

The MFP can be operated with touch gestures, just like a smart device. With a flick of the finger, the user can navigate from one screen to another. The familiar drag-and-drop gesture can be used to rearrange icons on the home screen. And, by pinching the screen, the user can zoom in and out.




Intuitive User Interface

Ricoh's new Intuitive User Interface for copy, scan, fax and print simplify operation. Using 'flick' and 'pinch-in/out' gestures, it is easy to check and change copy, scan and fax settings. A grid-based layout with large icons and fonts make the apps easy to use and provides a smooth transition from Ricoh's 'classic' user interface.




Instant Information

Widgets can be added to the home screen, making information available at a glance. They include widgets that show the date and time, display environmental metrics and the amount of toner remaining, notify users of incoming fax messages and enable the user to switch languages.




Home Screen Folders

Folders can be created on the home screen. This allows icons to be organised logically and located quickly. For repetitive tasks requiring multiple settings, storing all the required program icons in the same folder can save a lot of time.



Integrated Web Browser

A standard feature of the Smart Operation Panel, the Web Browser provides direct access to the web. It can be used to access and view web pages, and enables users to print HTML and PDF content, such as maps and tickets, directly from the MFP.



Personalised Wallpaper

Customising the interface increases the user's affinity with the MFP. The wallpaper can be changed at will. Users can switch between ready-made wallpaper options or customise the background by loading their own images from an SD Card.




Application Site

The Application Site icon on the Smart Operation Panel provides easy access to additional workflow applications and firmware updates. Accessing the site, users can configure their MFPs and trial the latest workflow applications. Some of the core applications are listed below.

Intelligent Workflow Applications

The standard features can be expanded by downloading intelligent workflow applications developed by Ricoh and its partners. These applications include Smart Device Connector, Remote Assistance and Pattern Lock.

Workflow Applications - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series		
Feature	Advantage	Benefit
Smart Device Connector 	Ricoh Smart Device Connector app enables users to connect smart phones and tablets to the MFP quickly and easily using NFC, QR code and Bluetooth. Once connected, their smart devices can be used as an interface to print and scan documents and send fax messages (requires fax enabled MFP).	Improves access to technology, simplifies information exchange and helps to facilitate mobile working.
ID Card Copy	The ID Card Copy app automates ID card copying, printing the front and back of an ID card onto one side of a sheet of paper.	It is designed to help staff working on the registration desk in hotels, banks, hospitals and car rental agencies and will save them time and reduce errors.
Scan to Folder Helper	This application provides users with a setup wizard for registering the destination of documents that have been scanned using Scan to SMB.	Automates the scanning process and simplifies operation.
Easy Book Scan *** NEW ***	New app erases shadows, enabling books and loose sheet originals to be scanned with the ARDF/SPDF open.	Speeds job build and improves image quality.
Remote Assistance *** NEW ***	Responding to a remote assistance request, the help desk administrator can view the Smart Operation Panel of an MFP and support the user by annotating the screen, remotely changing settings or sending a URL that enables the user to view and print web-based support information.	Reduces downtime and simplifies support.


Sales people should check with their local marketing department for an up to date list of workflow applications.



9. Key Features

Mainframe - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series		
Feature	Advantage	Benefit
I-Style design	The new MFPs follow Ricoh's I-Style design concept. Operational areas, such as the touchscreen display and delivery area, are emphasised in black.	Smart appearance accentuates compact design and looks professional in a modern work environment.
Full colour	The MFPs support colour and black-and-white.	A single device can meet colour and black-and-white needs, saving space and money.
Uniform platform *** Enterprise Solution ***	They share a similar appearance and the same operating system and user interface as other Ricoh MFPs.	Can be sold as part of a uniform enterprise wide solution. Users are instantly familiar with the intuitive operating system.
Multifunctional products	The new MFPs offer 4-in-1 functionality. The machines are print, copy and scan enabled. Fax is an option.	Replace personal printers and other desktop devices, saving space and money.
Modular options	There is a selection of modular options for the new MFPs. They include fax and print upgrades, paper banks and LCTs and a variety of finishing options.	Using modular options, the solution can be tailored to operational need and budget.

Operation - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series		
Feature	Advantage	Benefit
Next Generation (GWNX) controller	The new MFPs feature the latest version of Ricoh's GWNX controller architecture.	Common interface automates workflow, establishes governance and enforces security.
10.1" touchscreen *** Best in Class ***	Large, high visibility touchscreen panel - there are no hard buttons - can be tilted for easy operation.	Easily accessible, no matter where the MFP is located and instantly familiar to users of other Ricoh devices.
Human Detection Sensor *** New Feature ***	Senses when a user is in front of the machine and wakes the operation panel from sleep mode.	With the operation panel instantly ready (1 second recovery time), the operator can start selecting applications and settings sooner.

<p>Smart Operation Panel</p> 	<p>The touchscreen is navigated with touch gestures, much like a smart phone or tablet.</p>	<p>Simplifies operation, improving the user experience.</p>
<p>Intuitive User Interface</p>	<p>Intuitive applications, navigated using flick and pinch-in/out gestures, make it easy to select copy, scan and fax settings.</p>	<p>Simplifies operation and provides a smooth transition from Ricoh's 'classic' user interface.</p>
<p>Customisable wall paper</p>	<p>An image, such as a corporate logo, can be displayed on the operational panel.</p>	<p>Use of a company logo improves the user's affinity with the machine.</p>
<p>Web Browser</p> <p>*** Now Standard ***</p>	<p>Enables users to navigate and print from the Web, as well as access and print documents stored in cloud-based accounts.</p>	<p>Saves time and improves access to information.</p>

Productivity - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series		
Feature	Advantage	Benefit
Quick warm up	Ready to print within 25 seconds (MP C3004/MP C3504) or 24 seconds (MP C4504/MP C5504/MP C6004).	Saves time and improves productivity.
Fast first page	MP C3004 and MP C3504 produce their first pages in 4.6 seconds (BW) / 7.1 seconds (FC), MP C4504 produces its first page in 4.0 seconds (BW) / 5.7 seconds (FC) and MP C5504 and MP C6004 produce their first pages in 3.1 seconds (BW) / 4.5 seconds (FC).	Eliminates bottlenecks as one-off prints and copies are delivered at speed.
Tailored performance	There is a choice of 30, 35, 45, 55 and 60 ppm models, all of which share the same advanced functionality and intuitive user interface.	Supports a uniform deployment (same functionality) whilst allowing the solution to be tailored to local or departmental requirements (different speed / price).
High speed duplex	The new MFPs are equipped with high speed duplexes and maintain full productivity when printing double sided.	Improves productivity and professionalism.


Document Feed - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series		
Feature	Advantage	Benefit
High capacity ARDF	All SP models other than the MP C6004SP (see following) are supplied with a high capacity ARDF. Up to 100 documents can be fed in a single batch. Colour and B&W documents are scanned at a speed of 80 ipm.	Automates scanning process

Single pass duplex feed (SPDF)	All ASP models and the MP C6004SP are supplied with a high speed SPDF (single pass duplex feed). Up to 220 documents can be fed in a single batch. The SPDF scans both sides in single pass. Colour and B&W documents are scanned at a speed of 110 ipm (simplex) and 180 ipm (duplex).	Speeds scanning process. Particularly useful in applications where large batched of documents are regularly scanned or copied.
--------------------------------	---	--

Paper Handling - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series


Feature	Advantage	Benefit
A3 print engine	The new MFPs handle paper formats from A6 to SRA3 and paper sizes from 90 x 148 mm to 320 x 1,260 mm.	Single device can meet A4 and A3 print requirements.
SRA3 support	The 2nd tray and optional 3rd and 4th trays support SRA3 paper.	Print full-bleed A3 documents, complete with trim marks.
Banner printing	The bypass feed supports banner stock of up to 320 x 1,260 mm.	Print colour banners and signage in house.
Envelope printing	The 2nd tray and optional 3rd and 4th trays and the bypass tray also support multi-feeding of envelopes.	Speed mailing process by printing addresses onto envelopes.
Large paper capacity	The standard paper capacity of 1,200 sheets (2 x 550 trays and 100 sheet bypass) can be expanded to / 4,700 sheets (maximum) with the addition of a 2 x 1,000 sheet LCT and 1,500 sheet side LCT.	Hold different paper formats and stock online and reduce downtime related to paper replenishment.
Auto tray switching	The MFPs can automatically switch from one tray to another.	Replenish paper without interrupting the print process.
Thick paper support	The regular paper trays, optional paper banks and LCT support paper weights of 60 to 300 gsm and the bypass and side LCT support paper weights of 52 to 300 gsm.	Print reliably onto letterhead paper, bond stock and other premium heavyweight media.
100 sheet multi-bypass	The standard multi bypass tray will hold 100 sheets of paper.	Quickly feed non-standard media such as letterhead paper, labels and envelopes.

Finishing Options - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Feature	Advantage	Benefit
Internal Finisher SR3180 (MP C3004/MP C3504) *** Eco-Friendly ***	A 250 sheet stapleless finisher can be installed within the catch tray. The finisher can hold up to 250 sheets and allows up to five sheets of paper to be bound using a punch-press action.	This is a compact, low cost and eco-friendly finishing system.
Internal Finisher SR3130 (MP C3004/MP C3504/MP C4504/MP C5504) 	A 500 sheet staple finisher sits can be installed within the catch tray. The finisher can hold up to 500 sheets of paper and staple up to 50 sheets. There is a 2/4 hole punch option for this finisher.	This is a compact and low cost finishing solution.

Finisher SR3210 (all models) *** Unique Sales Point ***	This is a hybrid finisher. It will bind document sets of up to 5 sheets using a stapleless punch-press action and staple larger document sets using a conventional staple action. It has a 1,000 sheet shift tray, a 250 sheet proof tray and can staple up to 50 sheets. A 2/4 hole punch is offered as an option.	This finisher is unique to Ricoh. Small documents sets can be bound using a low cost, eco-friendly punch-press action, whilst larger documents sets can be securely stapled.
Booklet Finisher SR3220 (all models)	This is a multipurpose booklet finisher that can be used to collate and staple regular document sets and saddle stitch booklets. It has a 1,000 sheet shift tray, a 250 sheet proof tray and can staple up to 50 sheets (regular staple) or 15 sheets (saddle stitch). A 2/4 hole punch is offered as an option.	This is a low cost booklet making solution. Doubling as a regular staple finisher and as a booklet maker, it enables users to produce neatly folded booklets of up to 60 pages (15 sheets).
Finisher SR3230 (MP C4504/MP C5504/MP C6004)	This is a productive high capacity staple finisher. It has a 3,000 sheet shift tray, a 250 sheet proof tray and can staple up to 50 sheets. A 2/4 hole punch is offered as an option.	This is a heavy duty staple finisher which supports long print runs and provides capacity for long periods of unsupervised production.
Finisher SR3240 (MP C4504/MP C5504/MP C6004) *** Professional Finishing ***	This is a productive high capacity booklet finisher that can be used to collate and staple regular document sets and saddle stitch booklets. It has a 2,000 sheet shift tray, a 250 sheet proof tray and can staple up to 50 sheets (regular staple) or 20 sheets (saddle stitch). A 2/4 hole punch is offered as an option.	This is a heavy duty booklet making option. Doubling as a regular staple finisher and as a booklet maker, it enables users to produce neatly folded booklets of up to 80 pages (20 sheets).

Connectivity - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Feature	Advantage	Benefit
Network ready	The new MFPs are equipped with a gigabit ethernet interface and there are parallel, wireless and bluetooth interface options.	Workgroup users can share the same device, improving access.
USB device server *** New Option ***	The USB device server provides a secondary network interface port which allows the MFPs to connect simultaneously to two print networks.	Support customers, such as banks, hospitals and schools, who run separate open and closed networks.
Smart Device Print and Scan 	Free Ricoh app enables documents to be printed from and scanned to smartphones and tablets.	Improves access and mobility.

Printing - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series


Feature	Advantage	Benefit
1,200 x 1,200 dpi resolution	The new MFPs produce immaculate 1,200 x 1,200 dpi resolution print output.	Improves the appearance of business communication.

Point and print icons	The standard PCL print driver and optional PS3 print driver have graphic icons which allow single click selection of complex settings.	Simplifies the print process, saving time.
PostScript 3 (option)	A genuine PostScript driver is available as an option.	Print PostScript, PDF and XPS files accurately.
IPDS print (option for MP C4504/MP C5504/MP C6004)	The genuine IPDS option enables fast, error-free bi-directional communication with mainframe (host) computer systems.	Improve ROI by printing transactional data such as invoices and statements.
Scheduled print	Users can specify a time at which documents are to be printed.	Reduces bottlenecks. Time-consuming jobs such as invoice runs can be scheduled to run overnight or at the weekend.
PDF direct print	PDF documents can be printed directly to the PostScript enabled printer. The files are processed by the printer rather than the PC.	Releases computer resource and reduces network traffic.
XPS direct print (option)	The new MFPs also support XPS direct print. XPS is an XML based document format similar to PDF, promoted by Microsoft.	Compatible with newly emerging print format.
Mail to Print (fax capability required)	Send an email with attached data directly to the MFP for printing.	Improves access and simplifies print process.

Portable Media - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Feature	Advantage	Benefit
USB/SD card reader *** Standard Feature ***	There is a USB/SD card reader located to the side of the control panel.	Improves access by enabling walk up users to print from and scan to flash memory.
Media print settings	Print settings such as duplex and booklet printing can be applied to documents held on the USB/SD card.	Improves functionality enhances the quality of printed documents.
Media print preview	Documents held on the USB/SD card can be previewed at the control panel. The preview is displayed with selected print settings applied.	Reduces waste by ensuring that the right documents are selected and printed in the format required.
Multiple file selection	It is possible to select and print multiple JPEG, TIFF or PDF files held in the same folder of a USB/SD card.	Speeds production with the user able to print multiple files in a single operation.

Scanning - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Feature	Advantage	Benefit
Colour scanning 	The new MFPs scan documents in full colour at a resolution of up to 1,200 x 1,200 dpi.	Share information instantly via email and save documents to document server or to a centralised electronic record.

Flatbed scanner	Books and photographs can be scanned directly from the platen glass.	It is easy to scan bound or mounted originals such as books and photographs.
Document server *** Included in Price ***	The standard hard disk drive acts as document server and can be used to archive up to 3000 documents or 9000 pages.	Reduce costs by printing regularly used documents on demand instead of holding shelf stock.
Distributed scan management (DSM)	The administrator can pre-set scanning conditions and destinations for users.	Simplifies the scanning process.
Searchable PDF (requires OCR option)	The document text is recognised and saved along with the original document.	Improves access to information as documents can be searched for using keywords, and text within the document can be edited.
Encrypted PDF transmission	PDF documents scanned to e-mail, saved to the document server or to another network location can be encrypted and password protected.	Protects confidential information.
PDF/A	PDF/A is an ISO standard for the long-term archiving of electronic documents. The format locks the document to maintain its originality and records within the document a 'Device Certificate'.	Document format complies with government and industry regulatory standards.
Enhanced encryption level	The user can select secure encryption algorithms. Supported algorithms include AES256bit (used by the US government, NESSIE in the EU and CRYPTREC in Japan) and SHA-2 (used by the US National Security Agency).	Encryption complies with government and industry regulatory standards.

Copying - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Feature	Advantage	Benefit
Scan once, copy many	Copies are produced from memory.	Each copy is identical to the first.
Electronic sorting	Copies and prints are delivered in page order.	Saves time as sets are collated ready for distribution.
Digital zoom	25 to 400% zoom with 1% steps plus 13 preset enlargement / reduction ratios	One-step enlargement / reduction between A4 and A3 formats, saves time.
ID card copy	Automatically copies both sides of an ID card onto one side of a sheet of paper.	Saves time and paper. Will prove useful to organisations needing to copy credit cards and passports.
Combine copy	Scan two or four originals and print them as tiled copies on one sheet of paper.	Reduce print and paper costs.

Fax - Option for MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Feature	Advantage	Benefit
Fax (option)	The fax option adds plain paper fax functionality to the MFP.	Eliminates the need for a separate standalone fax machine, saving money and space.
G3 fax (option, requires fax option)	This option enables the MFP to handle a 2nd and/or 3rd fax line.	Acts as a fax hub, eliminating the need for multiple standalone fax machines.

Remote fax (option)	Allows the MFP to send faxes via another (fax enabled) Ricoh MFP.	Reduces configuration cost and enables multiple MFPs to share a single fax line.
Book fax	Bound documents, such as brochures and reports, can be faxed directly from the platen glass.	Saves time as there is no need to breakdown bound documents for faxing.
Quick dial	There is the facility to save 2,000 quick dial numbers.	Speeds communication with regular contacts.

Security - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Feature	Advantage	Benefit
NFC Card Reader (option)	An optional NFC (near field communication) card reader can be installed inside the top panel of the MFP. The reader supports ID card authentication.	Protects security by requiring ID card based authentication.
Data Overwrite Security	Overwrites temporary data held on the hard drive up to nine times with random data.	Protects security by ensuring that temporary data cannot be recovered.
HDD Encryption	Encrypts the address book, authentication information and stored documents.	Protects security by encrypting documents.
FIPS certified HDD (option)	The standard hard drive can be replaced with an optional HDD that is certified to meet the Federal Information Processing Standards (FIPS). These are U.S. government computer security standards that specify requirements for cryptography modules.	Suitable for use in secure environments such as by government agencies and in industries that are subject to strict security compliance.
Quota scheduling	The administrator can limit the output of individual users and user groups by setting page count limits. This feature now allows quotas to be shared across multiple Ricoh devices.	Establishes governance over the print environment and reduces print volume.
Banner page print	A job sheet can be printed before a print job that identifies the originator.	Makes it easier to identify work in a busy environment.
Mandatory hold print	When mandatory hold print is activated by the administrator, print output is held in the document server until released at the printer by the originator.	Protects confidentiality and reduces waste.
Mandatory security information	Automatically append security information such as the user ID, date, time, IP address and printer serial number to every document printed.	Improves document security by establishing a printed audit trail.
Fax output timer (requires fax option)	The administrator can set a time schedule for fax output. Fax messages are held in memory and printed at the predetermined time.	Reduces the risk of fax messages being read by unauthorised personnel or inadvertently picked up along with other documents.

Environment - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Feature	Advantage	Benefit
Power on/off timer	The power on/off timer switches the machine on and off at specified times.	Ensures the machine is ready for use and saves energy by switching the machine off when it is not required.

Sleep mode	In energy saving sleep mode, the new devices consume less than 1 W.	Reduces energy consumption.
Eco-information screen	A pop-up, visible at the control panel, reports green metrics, such as the number of double sided prints.	Encourages sustainable print behavior.
Low TEC (total energy consumption) ***Best-in-Class***	The new MFPs are amongst the most energy efficient in their class. MP C3004SP has, for example, a TEC rating of just 1,200 Wh.	Save energy and reduce carbon emissions by using energy efficient technology.
Energy Star v2, BAM and EPEAT Gold	The new MFPs are compliant with the latest environmental standards, including Energy Star v2, Blue Angel Mark (BAM) and EPEAT Gold.	Don't just take Ricoh's word for it; third party certification proves that these devices are eco-friendly.

9. Specifications

General Specifications - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series			
Warm-up time	25/25/24/24/24 seconds		
First output speed	Full colour	7.1/7.1/5.7/4.5/4.5 seconds	
	B/W	4.6/4.6/4/3.1/3.1 seconds	
Continuous output speed	Full colour	A4	30/35/45/55/60 pages per minute
	B/W	A4	30/35/45/55/60 pages per minute
CPU	Intel Atom Processor Bay Trail	1.33/1.33/1.75/1.75/1.75 GHz	
Memory	Standard	2 GB	
	Maximum	6 GB	
HDD	250 GB		
Reproduction ratio	400%		
	200%		
	141%		
	122%		
	115%		
	100%		
	93%		
	82%		
	71%		
	61%		
	50%		
	25%		
Zoom	From 25% to 400% in 1% step		
UI features	UI customization		
	My operation panel		
	Operation manual on operation panel		
	Workflow improvement with one-button		
	External USB keyboard		
	QWERTY layout keyboard		
	AZERTY layout keyboard		
	Function key		
	Simple UI apps		
	Simple Function apps		
	Smart Apps		
	Smart Device-like LCD operability		
Accessibility features	Easy touch screen		
	Normal/reverse grip & light drawing		

	Tilt operation panel
	Printer driver (PCL6) screen reader
	Simplified display
	Auditory outputs (easy to hear)
	Barrier-free colour management mode
	Visually accessible LED placement
Other value-added features	Folder management with password in Document Server
	Import/export of preferred settings
	Information screen (eco-friendly indicator)
	Bates stamp
	ID card copy
	Subset stapling
	Half fold
Dimensions (W x D x H)	587 x 685 x 788 mm
Weight	101.3/101.3/103.4/103.4/103.4 kg
Power source	220 - 240 V, 50/60 Hz

Copier Specifications - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Copying process	Dry Electrostatic Transfer System with Dual component Development: 4-Drum method	
Multiple copying	Up to 999 copies	
Resolution	600 dpi/4 bit	
Enhanced features	Colour mode	
	Duplex	1 sided to 2 sided
		2 sided to 2 sided (with ARDF)
		Book to 2 sided
		Front and back to 2 sided
	Book	Booklet
		Magazine
		Layout & Booklet
	Series	Book to simplex
		2 Sided original to simplex
	Combine	2 into 1 simplex
		4 into 1 simplex
		8 into 1 simplex
		1 duplex into 1 simplex
2 duplex into 1 simplex		
4 duplex into 1 simplex		
4 into 1 duplex		
8 into 1 duplex		

	16 into 1 duplex	
	2 duplex into 1 duplex	
	4 duplex into 1 duplex	
	8 duplex into 1 duplex	
Shift/erase/margin adjustment	Centering	
	Margin adjustment	
	Erase center	
	Erase border	
Cover sheet/chapter/slip sheets	Front cover	Copy or Blank
	Front & back cover	Copy or Blank
	Chapter	
	Slip sheets	
Image rotation		
Electronic sort	Without shift sort	Yes (only without finisher)
	Rotate sort	Yes
	Shift sort	Yes (only with finisher)
Electronic stack		
Stapling		
Colour creation	Colour conversion	
	Colour erase	
	Colour overlay	
Image creation	Repeat	
	Double copy	
	Mirror	
	Positive/negative	
Stamp/numbering	Preset stamp	8 stamps
	User stamp	4 stamps
	Date stamp	
	Page number	6 styles
	Bates Numbering	
	Printing copy prevention pattern	
Colour balance adjustment		
Colour balance program		
Auto Colour Calibration (ACC)		
Sharp/soft	7 levels	
Contrast	9 levels	
Background density adjustment	9 levels	
Under Colour Removal (UCR) adjustment	9 levels	

	Text & photo separation sensitivity adjustment	9 levels
	Colour erase sensitivity adjustment	5 levels
	Job programs	
	User code	8 digits / 1,000 user code
	Interrupt copy	
	Auto start	
	Job preset	
	Sample copy	

Printer Specifications - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series			
Printer language	Standard	PCL5c	
		PCL6(XL)	
		PDF	
	Option	XPS	
		Adobe® PostScript® 3™	
		IPDS	
		PictBridge	
Print resolution	Maximum	1,200 x 1,200 dpi/2bit	
Interface	Standard	USB2.0 Type A	
		SD slot	
		Ethernet 10 base-T/100 base-TX/1000 base-T	
	Option	Wireless LAN (IEEE 802.11a/b/g/n)	
		Bluetooth	
		USB Server for Second Network Interface	
		Bi-directional IEEE 1284/ECP	
USB 2.0 (Type B)			
Mobile printing capability	Apple AirPrint™		
Network protocol	Standard	TCP/IP	IP v4
			IP v6
Windows® environments	Windows® Vista		
	Windows® 7		
	Windows® 8		
	Windows® 8.1		
	Windows® Server 2008		
	Windows® Server 2008R2		
	Windows® Server 2012		
	Windows® Server 2012R2		

Mac OS environments	Macintosh OS X Native v10.7 or later	
UNIX environments	UNIX Sun® Solaris	9
		10
	HP-UX	11.x
		11i v2
		11i v3
	SCO OpenServer	5.0.7
		6.0
	RedHat® Linux Enterprise	4
		5
		6
	IBM® AIX	5L v5.3
		5L v6.1
		5L v7.1
SAP® R/3® environments	SAP® R/3®	
Other supported environments	NDPS Gateway	
	AS/400® using OS/400 Host Print Transform	
	IBM iSeries	
Supported barcode & OCR fonts		
Printer driver features	Sample print	
	Locked print	
	Hold print	
	Scheduled print	
	Stored print	
	Store and print	
	Banner Page Print (Job Sheet Print)	
	Black over print	
	CLP colour simulation	
	PDF direct print	
	PictBridge	
	Mail to print	
	Classification code	
	Bonjour (Rendezvous) support	
	Windows® Active Directory support	
	DDNS support	
	PCL resident font adoption	
	Tray-parameter change from Web Image Monitor	
	1,200 dpi support	
	Mobile driver	

XPS support
WS printer
Wireless LAN interface option
Media Direct Print (print from USB)
Media Direct Print (print from SD)
Auto Job Promotion
AirPrint
Poster Print
WPS (WiFi Protected Set-up) support

Scanner Specifications - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series		
Scanning area	Main scan	297 mm
	Sub scan	432 mm
Scanning speed	ARDF	Max. 80 originals per minute
	SPDF	Max. 110 (simplex)/180 (duplex) originals per minute
Resolution	Standard	100 dpi
		200 dpi
		300 dpi
		400 dpi
		600 dpi
		1,200 dpi
	Default	200 dpi
Maximum	1,200 dpi	
Network interface	Ethernet 10 base-T/100 base-TX	
	GigaEthernet (1000 base-T)	
	Wireless LAN (IEEE 802.11a/b/g/n)	
Protocol	Network: TCP/IP	
	Web Services on Devices for Scanning	
	Sending E-mail: SMTP, POP3	
	Sending E-mail: SMTP	
Scan mode	Standard	B/W
		B/W text/line art
		B/W text
		B/W text/photo
		B/W photo
		B/W grayscale
		Full colour
		Full colour text/photo
		ACS

Image density	Auto Density Selection	
	Manual: 7 levels	
Original size	A3	
	A4	
	A5	
	B4	
	B5	
	B6	
File format	Single page TIFF	
	Single page JPEG	
	Single page PDF	
	Single page High compression PDF	
	Single page PDF-A	
	Single Page Encrypt PDF	
	Multi page TIFF	
	Multi page PDF	
	Multi page High compression PDF	
	Multi page PDF-A	
	Multi Page Encrypt PDF	
	High compression PDF	
	Single page OCR (option)	
	Multi page OCR (Option)	
Bundled drivers	Network TWAIN	
	Scanner utility	
	WIA	
Scanner features	WS-Scanner	
	Scanned file naming	Reference # setting
	LDAP Support	E-mail address search
		Fax address search
	Preview before transmission (TX preview)	
	PDF encryption	
	Drop out colour send	
	Twain Scan	
	Universal send (simultaneous fax & scan)	
	Distributed Scan Management (DSM)	
Scan to	E-mail	
	Folder	
	USB	
	SD card	

	SMB
	FTP
	URL
	PDF/A
	Digitally signed PDF
	Searchable PDF (embedded)

Fax Specifications - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

Circuit	PSTN		
	PBX		
Compatibility	ITU-T (CCITT) G3		
	Additional G3 (option)		
Resolution	Standard	8 x 3.85 line/mm, 200 x 100 dpi	
		8 x 7.7 line/mm, 200 x 200 dpi	
	Option	8 x 15.4 line/mm, 400 x 400 dpi	
		16 x 15.4 line/mm, 400 x 400 dpi	
Compression method	MH		
	MR		
	MMR		
	JBIG		
Transmission speed	G3	2 second(s) (200 x 100 dpi, JBIG)	
		3 second(s) (200 x 100 dpi, MMR)	
Modem speed	Maximum	33.6 Kbps	
Scanning speed	0.83 second(s)		
Memory capacity	Standard	4 MB	
	Maximum	60 MB	
Internet Fax	Requirement of mainframe	G3 fax option required	
	Number of address	2,000 addresses (without HDD)	
	Email address input	From LCD operation panel	
		Web Image Monitor	
		Smart Device Monitor for Admin	
	Attention	"to" or "bcc" (select only one), maximum 500 attentions	
	Destination combination	Internet Fax + G3 Fax	
		Internet Fax to PC + G3 Fax	
Network	LAN	Ethernet/10Base-T	
		Ethernet/100Base-TX	
		Ethernet/1000Base-T	
		IEEE 802.11a/b/g/n (Wireless LAN)	

	Transmit function	E-mail		
	Scan line density	Standard character	200 x 100 dpi	
		Detail character	200 x 200 dpi	
		Fine character	200 x 400 dpi	
		Super fine character	400 x 400 dpi	
	(Maximum)Original size	A3		
	Communication protocol	Transmission	SMTP, TCP/IP	
		Reception	POP3	
			SMTP	
			IMAP4	
TCP/IP				
IPv6 Support				
Email format	Single/multi-part			
	MIME Conversion			
	Attached file forms: TIFF-F (MH, MR, MMR compression)			
Authentication method	SMTP-AUTH			
		POP before SMTP		
		A-POP		
	Internet communication	Send and receive e-mail with a computer that has an e-mail address		
	E-mail send functions	Automatic conversion of sent documents to e-mail format and e-mail transmission. Memory transmission only.		
	E-mail receive functions	Automatic detection and printing of appended TIFF-F(MH) files and ASCII text. Memory reception only.		
Paper size	A3			
	DLT			
	B4			
	A4			
	Letter			
	Legal			
	B5			
	A5			
Resolution	Super fine	400 x 400 dpi		
	Detail	200 x 200 dpi		
	Standard	200 x 100 dpi		
	Reduce 400dpi image data to 400dpi			
Number of addresses	2,000 addresses			
OS	Windows® XP			
	Windows® Vista			
	Windows® 7			

	Windows® 8		
	Windows® Server 2003		
	Windows® Server 2003R2		
	Windows® Server 2008		
	Windows® Server 2008R2		
	Windows® Server 2012		
	Windows® Server 2012R2		
IP Fax	Network	Ethernet/10Base-T	
		Ethernet/100Base-TX	
		Ethernet/1000Base-T	
		IEEE 802.11a/b/g/n (Wireless LAN)	
	Scan Line Density	Standard character	200 dpi x 100 dpi
		Detail character	200 dpi x 200 dpi
		Super Fine character	400 dpi x 400 dpi
	Maximum scanning size	Standard	297 mm x 432 mm
		Irregular	297 mm x 600 mm
	Transmission protocol	Recommended: T.38, TCP, UDP/IP communication, SIP(RFC 3261 compliant), H.323 v2	
	IPv6 support		
	Compatible machines	IP-Fax compatible machines	
	IP-fax transmission function	Specify an IP address and send faxes to an IP-Fax compatible fax through a network. Also capable of sending faxes from a G3 fax connected to a telephone line via a VoIP gateway.	
IP-fax reception function	Receive faxes sent from an IP-Fax compatible fax through a network. Also capable of receiving faxes from a G3 fax connected to a telephone line via a VoIP gateway		
Original size	Maximum	A3	
		DLT	
Fax features	Remote Fax		
	Detection of misplaced document		
	Double-check of destination address		
	Direct SMTP		
	Forward to E-mail	Inbound fax (G3/Internet)	
		G3 fax transmission result	
		G3 LAN fax transmission result	
		Internet fax sending result (to SMTP)	
		Fax to e-mail result (to SMTP)	
		IP fax sending result	
		Journal	
Fax from special sender			

		Fax and forward designated receiver (SUB)
	Fax forward to folder	with e-mail notification
	Paperless fax (HDD received)	with e-mail notification
	LAN-fax with cover sheet editor	
	LDAP Support	Fax address search
	Max G3 lines	
	Universal Send (simultaneous fax & scan)	
	DS stored data sending	
	Fax line assignment	
	Fax output timer	

Paper Specifications - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series		
Recommended paper size	Standard paper tray(s)	SRA3
		A3
		A4
		A5
		A6
		B4
		B5
		B6
Paper input capacity	Standard	1,200 sheets
	Maximum	4,700 sheets
Paper output capacity	Maximum	1,625/1,625/3,625/3,625/3,625 sheets
Paper weight	52 - 300 g/m ²	

Security Specifications - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series		
HDD Data Overwrite Security (with optional HDD)		
Authentication	Windows® authentication	
	LDAP authentication	Kerberos
	Basic authentication	
	User code authentication	
	802.1.x wired authentication	
Encryption	Address book encryption	
	Authentication password encryption	
	SSL communication	
	S/MIME	
	IPsec communication	
	HDD encryption	

	Type A
	SNMPv3 (SDM)
	Address book encryption
	PDF password encryption
	Authentication password encryption
	WPA2 (Wireless LAN)
Others	Network Protocol On/Off
	IP filtering (Access Control)
	Mask Type for copying/data security
	Copy Data Security Unit option
Unauthorised copy prevention (print)	
Unauthorised copy prevention (copy)	
Quota Setting/Account Limit	
Single Sign On	
SMTP over SSL	
Compulsory security stamp	

Environmental Specifications - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series			
Power consumption	Maximum	1,700/1,700/1,850/1,850/1,850 W	
	Ready mode	47.3/47.3/55.1/55.1/55.1 W	
	Sleep mode	0.93/0.93/0.89/0.89/0.89 W	
	TEC (Typical Electricity Consumption)	1.2/1.3/1.8/2.5/2.7 kWh	
Material emission level (emission rate)	Ozone (Print)	FC	Operation: 3 mg/h
		BW	Operation: 1.5 mg/h
	Dust (Print)	FC	Operation: 4 mg/h
		BW	Operation: 4 mg/h
	Styrene (Print)	FC	Operation: 1.8 mg/h
		BW	Operation: 1 mg/h
	TVOC (Print)	FC	Operation: 18 mg/h
		BW	Operation: 10 mg/h
	TVOC (Ready)	Operation: 2 mg/h	
	Benzene (Print)	Operation: 0.05 mg/h	
Environmental labels/ENERGY STAR certification	BAM		
	ENERGY STAR version 1.1		
	ENERGY STAR version 2.0		
Storage conditions	Temperature	-30°C - 40°C	

	Humidity	Less than 85%
	Storage period	Maximum 12 months
	Maximum stack	3 cartons
Transportation conditions	Temperature	-30 - 40°C
	Humidity	Less than 95%
	Maximum stack	2 cartons

Options - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series

ADF handle
1 x 550-sheet paper tray
2 x 550-sheet paper tray
2,000-sheet large capacity tray
1,500-sheet side large capacity tray
Bridge unit
1,000-sheet Hybrid finisher
3,000-sheet finisher
Internal finisher
Internal finisher with stapleless stapler
1,000-sheet booklet finisher
2,000-sheet booklet finisher
Punch kits
Internal shift tray
One-bin tray
Side tray
Caster table
Cabinet
Bi-directional IEEE 1284
Wireless LAN (IEEE 802.11a/g/n)
Bluetooth
Pictbridge
PostScript3
IPDS unit
Counter interface
File format converter
Key counter bracket
Card reader bracket
Data Overwrite Security Unit (Certified version)
Fax Connection Unit

Fax marker
Fax memory
Fax option
Unicode Font Package for SAP
OCR Unit
Smart Card Reader Built-in Unit
SRA3 unit
XPS direct print
Enhanced security HDD
Keyboard bracket
NFC Card Reader
Font SD card
USB Device Server
Banner paper tray guide
G3 Interface unit
EFL colour controller
Extended USB board
4GB Memory unit

Consumables - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series		
Toner capacity	Black	29,500/29,500/33,000/33,000/33,000 prints
	Cyan	18,000/18,000/22,500/22,500/22,500 prints
	Magenta	18,000/18,000/22,500/22,500/22,500 prints
	Yellow	18,000/18,000/22,500/22,500/22,500 prints



10. Service and Supplies

The new MFPs should be maintained by trained service engineers. Like other Ricoh MFPs, service is likely to be offered on a toner inclusive Pay per Page (PpP) basis.

PpP servicing offers the following customer advantages:

- Transparent pricing
- Includes toner and servicing
- Pre-agreed page cost
- Metered pay as you go billing

The new models have similar running costs to their predecessors (MP C3003/MP C35003/MP C4503/MP C5503/MP C600s series). Although the running costs are similar, sales people should refer to their service or sales management for actual service pricing.

The new models are reliable and resilient. With target MCBCs (mean copies between calls) ranging from 62,000 (MP C3004SP/ASP) to 100,800 pages (MP C6003SP), customers with average document volumes (5,000 to 15,000 pages) might expect to need one service visit every six to twelve months.

Using @Remote, the devices can be monitored in real-time enabling Ricoh's service operation to identify issues before they become apparent to users and deliver consumable items such as toner in advance of need.

Consumable yields and service parameters are provided below:

Service and Supplies Specifications - MP C3004/MP C3504/MP C4504/MP C5504/MP C6004 Series						
		MP C3004SP/ ASP	MP C3504SP/ ASP	MP C4504SP/ ASP	MP C5504SP/ ASP	MP 6004SP
Document Volume	Average Monthly Volume	5,000 pages	7,000 pages	10,000 pages	12,000 pages	15,000 pages
	Maximum Monthly Volume	20,000 pages		50,000 pages		
	Duty Cycle	80,000 pages		200,000 pages		
Consumable Yield	Black Toner	29,500 prints per bottle		33,000 prints per bottle		
	Colour Toner	18,000 prints per bottle per colour		22,500 prints per bottle per colour		
Maintenance Cycle	PM Cycle	300,000 pages		400,000 pages		
	MCBC	62,000 pages	69,000 pages	89,300 pages	93,000 pages	100,800 pages
Service Life	Target Life (Mainframe)	5 years or 1.2 million pages		5 years or 3 million pages		



The facts and figures shown in this brochure relate to specific business cases. Individual circumstances may produce different results. All company, brand, product and service names are the property of and are registered trademarks of their respective owners. Copyright © 2016 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/ or incorporated into other works without the prior written permission of Ricoh Europe PLC.